




美式皮带轮





美式皮带轮

QD SHEAVES



美标3V 5V 8V带轮、
A B型带轮槽形图


槽型	OD	a°	W	D	X	S	E
3V (9N/9J)	≤ 3.49	36°	0.350	0.350	0.025	0.406	0.344
	3.49~6.00	38°					
	6.00~12.00	40°					
	> 12.00	42°					
5V (15N/15J)	≤ 9.99	38°	0.600	0.600	0.050	0.688	0.500
	9.99~16.00	40°					
	> 16.00	42°					
8V (25N/25J)	≤ 15.99	38°	1	1	0.100	1.125	0.750
	15.99~22.40	40°					
	> 22.40	42°					

槽型	PD	a°	W	D	X	S	E
A	≤ 5.4	34°	0.494	0.490	0.125	0.625	0.375
	5.4	38°	0.504				
B	≤ 7.0	34°	0.637	0.550	0.175	0.750	0.500
	7.0	38°	0.650				
A~B	≤ 7.4	34°	0.612	0.625	0.175	0.750	0.500
	7.4	38°	0.625				
C	≤ 7.99	34°	0.879	0.780	0.200	1	0.688
	7.99~12.00	36°	0.887				
	> 12.00	38°	0.895				




美式皮带轮


QD皮带轮略图 QD SHEAVES




TYPE A




TYPE B




TYPE C




TYPE D




TYPE E




TYPE F




TYPE G




TYPE H



1-SOLD



2-WEB



3-ARM/SPOKE



美式皮带轮

QD SHEAVES A-B

(in.)

OD	PD		1GROOVE F=7/8					2 GROOVE F=1-3/4				
	A	B	SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
3.75	3.00	3.40	1 B34 SH	SH	D-1	0	13/16	2 B 34 SH	SH	E-1	0	13/16
3.95	3.20	3.60	1 B36 SH	SH	D-1	0	13/16	2 B 36 SH	SH	D-1	3/16	13/16
4.15	3.40	3.80	1 B38 SH	SH	D-1	0	13/16	2 B 38 SH	SH	D-1	3/16	13/16
4.35	3.60	4.00	1 B40 SH	SH	C-1	1/16	13/16	2 B 40 SH	SH	A-1	11/16	13/16
4.55	3.80	4.20	1 B42 SH	SH	C-1	1/16	13/16	2 B 42 SH	SH	A-1	11/16	13/16
4.75	4.00	4.40	1 B44 SH	SH	C-1	1/16	13/16	2 B 44 SH	SH	A-1	11/16	13/16
4.95	4.20	4.60	1 B46 SDS	SDS	C-1	1/8	3/4	2 B 46 SDS	SDS	A-1	11/16	3/4
5.15	4.40	4.80	1 B48 SDS	SDS	C-1	1/8	3/4	2 B 48 SDS	SDS	A-1	11/16	3/4
5.35	4.60	5.00	1 B50 SDS	SDS	C-1	1/8	3/4	2 B 50 SDS	SDS	A-1	11/16	3/4
5.55	4.80	5.20	1 B52 SDS	SDS	C-1	1/8	3/4	2 B 52 SDS	SDS	A-1	11/16	3/4
5.75	5.00	5.40	1 B54 SDS	SDS	C-1	1/8	3/4	2 B 54 SDS	SDS	A-1	11/16	3/4
5.95	5.20	5.60	1 B56 SDS	SDS	C-1	1/8	3/4	2 B 56 SDS	SDS	A-1	11/16	3/4
6.15	5.40	5.80	1 B58 SDS	SDS	C-2	1/8	3/4	2 B 58 SDS	SDS	A-2	11/16	3/4
6.35	5.60	6.00	1 B60 SDS	SDS	C-2	1/8	3/4	2 B 60 SDS	SDS	A-2	11/16	3/4
6.55	5.80	6.20	1 B62 SDS	SDS	C-2	1/8	3/4	2 B 62 SDS	SDS	A-2	11/16	3/4
6.75	6.00	6.40	1 B64 SDS	SDS	C-2	1/8	3/4	2 B 64 SDS	SDS	A-2	11/16	3/4
6.95	6.20	6.60	1 B66 SDS	SDS	C-2	1/4	3/4	2 B 66 SDS	SDS	A-2	11/16	3/4
7.15	6.40	6.80	1 B68 SDS	SDS	C-2	1/4	3/4	2 B 68 SDS	SDS	A-2	11/16	3/4
7.35	6.60	7.00	1 B70 SDS	SDS	C-2	1/4	3/4	2 B 70 SK	SK	D-2	7/16	1-1/4
7.75	7.00	7.40	1 B74 SDS	SDS	C-3	1/4	3/4	2 B 74 SK	SK	D-2	7/16	1-1/4
8.35	7.60	8.00	1 B 80SDS	SDS	C-3	1/4	3/4	2 B 80 SK	SK	D-3	7/16	1-1/4
8.95	8.20	8.60	1 B 86SDS	SDS	C-3	1/4	3/4	2 B 86 SK	SK	D-3	7/16	1-1/4
9.35	8.60	9.00	1 B 90SDS	SDS	C-3	1/4	3/4	2 B 90 SK	SK	D-3	7/16	1-1/4
9.75	9.00	9.40	1 B 94SDS	SDS	C-3	1/4	3/4	2 B 94 SK	SK	D-3	7/16	1-1/4
11.35	10.60	11.00	1 B 110SDS	SDS	C-3	1/4	3/4	2 B110 SK	SK	D-3	7/16	1-1/4
12.75	12.00	12.40	1 B 124SDS	SDS	C-3	1/4	3/4	2 B124 SK	SK	D-3	7/16	1-1/4
13.95	13.20	13.60	1 B136 SDS	SDS	C-3	1/4	3/4	2 B136 SK	SK	D-3	7/16	1-1/4
15.75	15.00	15.40	1 B154 SK	SK	F-3	1/4	1-1/4	2 B154 SK	SK	D-3	7/16	1-1/4
16.35	15.60	16.00	1 B160 SK	SK	F-3	1/4	1-1/4	2 B160 SK	SK	D-3	7/16	1-1/4
18.75	18.00	18.40	1 B184 SK	SK	F-3	1/4	1-1/4	2 B184 SK	SK	D-3	7/16	1-1/4
20.35	19.60	20.00	1 B200 SK	SK	F-3	1/4	1-1/4	2 B200 SF	SF	D-3	3/8	1-1/4
25.35	24.60	25.00	1 B250SF	SF	F-3	1/4	1-1/4	2 B250 SF	SF	D-3	3/8	1-1/4
30.35	29.60	30.00	1 B300SF	SF	F-3	1/8	1-1/4	2 B300 SF	SF	D-3	3/8	1-1/4
38.35	37.60	38.00						2 B380 SF	SF	D-3	3/8	1-1/4



美式皮带轮

QD SHEAVES A-B

(in.)

OD	PD		3 GROOVE F=2-1/2					4 GROOVE F=3-1/4				
	A	B	SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
3.75	3.00	3.40	3 B34 SH	SH	E-1	0	13/16	4 B 34 SD	SD	E-1	5/16	1-1/4
3.95	3.20	3.60	3 B36 SH	SH	D-1	3/16	13/16	4 B 36 SD	SD	E-1	5/16	1-1/4
4.15	3.40	3.80	3 B38 SH	SH	D-1	3/16	13/16	4 B 38 SD	SD	E-1	5/16	1-1/4
4.35	3.60	4.00	3 B40 SH	SH	A-1	1-1/16	13/16	4 B 40 SD	SD	E-1	0	1-1/4
4.55	3.80	4.20	3 B42 SH	SH	A-1	1-1/16	13/16	4 B 42 SD	SD	E-1	0	1-1/4
4.75	4.00	4.40	3 B44 SH	SH	A-1	1-1/16	13/16	4 B 44 SD	SD	E-1	0	1-1/4
4.95	4.20	4.60	3 B46 SD	SD	A-1	1-1/16	1-1/4	4 B 46 SD	SD	A-1	1-5/16	1-1/4
5.15	4.40	4.80	3 B48 SD	SD	A-1	1-1/16	1-1/4	4 B 48 SD	SD	A-1	1-5/16	1-1/4
5.35	4.60	5.00	3 B50 SD	SD	A-1	1-1/16	1-1/4	4 B 50 SD	SD	A-1	1-5/16	1-1/4
5.55	4.80	5.20	3 B52 SD	SD	A-1	1-1/16	1-1/4	4 B 52 SD	SD	A-1	1-5/16	1-1/4
5.75	5.00	5.40	3 B54 SD	SD	A-1	1-1/16	1-1/4	4 B 54 SD	SD	A-1	1-5/16	1-1/4
5.95	5.20	5.60	3 B56 SD	SD	A-1	1-1/16	1-1/4	4 B 56 SD	SD	A-1	1-5/16	1-1/4
6.15	5.40	5.80	3 B58 SD	SD	A-1	1-1/16	1-1/4	4 B 58 SD	SD	A-1	1-5/16	1-1/4
6.35	5.60	6.00	3 B60 SD	SD	A-2	1-1/16	1-1/4	4 B 60 SD	SD	A-2	1-5/16	1-1/4
6.55	5.80	6.20	3 B62 SD	SD	A-2	1-1/16	1-1/4	4 B 62 SD	SD	A-2	1-5/16	1-1/4
6.75	6.00	6.40	3 B64 SD	SD	A-2	1-1/16	1-1/4	4 B 64 SD	SD	A-2	1-5/16	1-1/4
6.95	6.20	6.60	3 B66 SD	SD	A-2	1-1/16	1-1/4	4 B 66 SD	SD	A-2	1-5/16	1-1/4
7.15	6.40	6.80	3 B68 SD	SD	A-2	1-1/16	1-1/4	4 B 68 SD	SD	A-2	1-5/16	1-1/4
7.35	6.60	7.00	3 B70 SK	SK	A-2	11-16	1-1/4	4 B 70 SK	SK	A-2	1	1-1/4
7.75	7.00	7.40	3 B74 SK	SK	A-2	11-16	1-1/4	4 B 74 SK	SK	A-2	1	1-1/4
8.35	7.60	8.00	3 B 80SK	SK	A-3	11-16	1-1/4	4 B 80 SK	SK	A-3	1	1-1/4
8.95	8.20	8.60	3 B 86SK	SK	A-3	11-16	1-1/4	4 B 86 SK	SK	A-3	1	1-1/4
9.75	9.00	9.40	3 B 94SK	SK	A-3	11-16	1-1/4	4 B 94 SK	SK	A-3	1	1-1/4
11.35	10.60	11.00	3 B 110SK	SK	A-3	11-16	1-1/4	4 B110 SK	SK	A-3	1	1-1/4
12.75	12.00	12.40	3 B 124SK	SK	A-3	11-16	1-1/4	4 B124 SK	SK	A-3	1	1-1/4
13.95	13.20	13.60	3 B136 SK	SK	A-3	11-16	1-1/4	4 B136 SK	SK	A-3	1	1-1/4
15.75	15.00	15.40	3 B154 SK	SK	A-3	11-16	1-1/4	4 B154 SF	SF	A-3	1	1-1/4
16.35	15.60	16.00	3 B160 SK	SK	A-3	11-16	1-1/4	4 B160 SF	SF	A-3	1	1-1/4
18.75	18.00	18.40	3 B184 SK	SK	A-3	11-16	1-1/4	4 B184 SF	SF	A-3	1	1-1/4
20.35	19.60	20.00	3 B200 SF	SF	D-3	5-8	1-1/4	4 B200 SF	SF	A-3	1	1-1/4
25.35	24.60	25.00	3 B250SF	SF	D-3	5-8	1-1/4	4 B 250 E	E	A-3	1	1-5/8
30.35	29.60	30.00	3 B300SF	SF	D-3	5-8	1-1/4	4 B 300 E	E	A-3	1	1-5/8
38.35	37.60	38.00	3 B380 E	E	D-3	5-8	1-5/8	4 B 380 E	E	A-3	1	1-5/8



美式皮带轮

QD SHEAVES A-B

(in.)

OD	PD		5 GROOVE F=4					6 GROOVE F=4-3/4				
	A	B	SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
3.75	3.00	3.40	5 B 34 SD	SD	E-1	7/16	1-1/4	6 B 34 SD	SD	E-1	5/16	1-1/4
3.95	3.20	3.60	5 B 36 SD	SD	E-1	7/16	1-1/4	6 B 36 SD	SD	E-1	5/16	1-1/4
4.15	3.40	3.80	5 B 38 SD	SD	E-1	5/16	1-1/4	6 B 38 SD	SD	E-1	5/16	1-1/4
4.35	3.60	4.00	5 B 40 SD	SD	E-1	0	1-1/4	6 B 40 SD	SD	E-1	0	1-1/4
4.55	3.80	4.20	5 B 42 SD	SD	E-1	0	1-1/4	6 B 42 SD	SD	E-1	0	1-1/4
4.75	4.00	4.40	5 B 44 SD	SD	E-1	0	1-1/4	6 B 44 SD	SD	E-1	0	1-1/4
4.95	4.20	4.60	5 B 46 SD	SD	A-1	1-5/16	1-1/4	6 B 46 SD	SD	A-1	1-3/16	1-1/4
5.15	4.40	4.80	5 B 48 SD	SD	A-1	1-5/16	1-1/4	6 B 48 SD	SD	A-1	1-3/16	1-1/4
5.35	4.60	5.00	5 B 50 SD	SD	A-1	1-5/16	1-1/4	6 B 50 SD	SD	A-1	1-3/16	1-1/4
5.55	4.80	5.20	5 B 52 SD	SD	A-1	1-5/16	1-1/4	6 B 52 SD	SD	A-1	1-3/16	1-1/4
5.75	5.00	5.40	5 B 54 SK	SK	A-1	1-5/16	1-1/4	6 B 54 SK	SK	A-1	1-5/16	1-1/4
5.95	5.20	5.60	5 B 56 SK	SK	A-1	1-5/16	1-1/4	6 B 56 SK	SK	A-1	1-5/16	1-1/4
6.15	5.40	5.80	5 B 58 SK	SK	A-1	1-5/16	1-1/4	6 B 58 SK	SK	A-1	1-5/16	1-1/4
6.35	5.60	6.00	5 B 60 SK	SK	A-1	1-5/16	1-1/4	6 B 60 SK	SK	A-1	1-5/16	1-1/4
6.55	5.80	6.20	5 B 62 SK	SK	A-1	1-5/16	1-1/4	6 B 62 SK	SK	A-1	1-5/16	1-1/4
6.75	6.00	6.40	5 B 64 SK	SK	A-1	1-5/16	1-1/4	6 B 64 SK	SK	A-1	1-5/16	1-1/4
6.95	6.20	6.60	5 B 66 SK	SK	A-1	1-5/16	1-1/4	6 B 66 SK	SK	A-1	1-5/16	1-1/4
7.15	6.40	6.80	5 B 68 SK	SK	A-1	1-5/16	1-1/4	6 B 68 SK	SK	A-1	1-5/16	1-1/4
7.35	6.60	7.00	5 B 70 SF	SF	A-1	1-5/16	1-1/4	6 B 70 SK	SK	A-1	1-11/16	1-1/4
7.75	7.00	7.40	5 B 74 SF	SF	A-1	1-5/16	1-1/4	6 B 74 SF	SF	A-1	1-11/16	1-1/4
8.35	7.60	8.00	5 B 80 SF	SF	A-2	1-5/16	1-1/4	6 B 80 SF	SF	A-1	1-11/16	1-1/4
8.95	8.20	8.60	5 B 86 SF	SF	A-2	1-5/16	1-1/4	6 B 86 SF	SF	A-2	1-11/16	1-1/4
9.75	9.00	9.40	5 B 94 SF	SF	A-3	1-5/16	1-1/4	6 B 94 SF	SF	A-3	1-11/16	1-1/4
11.35	10.60	11.00	5 B 110 SF	SF	A-3	1-5/16	1-1/4	6 B 110 SF	SF	A-3	1-11/16	1-1/4
12.75	12.00	12.40	5 B 124 SF	SF	A-3	1-5/16	1-1/4	6 B 124 SF	SF	A-3	1-11/16	1-1/4
13.95	13.20	13.60	5 B 136 SF	SF	A-3	1-5/16	1-1/4	6 B 136 SF	SF	A-3	1-11/16	1-1/4
15.75	15.00	15.40	5 B 154 SF	SF	A-3	1-5/16	1-1/4	6 B 154 SF	SF	A-3	1-11/16	1-1/4
16.35	15.60	16.00	5 B 160 SF	SF	A-3	1-5/16	1-1/4	6 B 160 SF	SF	A-3	1-11/16	1-1/4
18.75	18.00	18.40	5 B 184 SF	SF	A-3	1-5/16	1-1/4	6 B 184 SF	SF	A-3	1-11/16	1-1/4
20.35	19.60	20.00	5 B 200 E	E	A-3	1-1/4	1-5/8	6 B 200 E	E	A-3	1-3/8	1-5/8
25.35	24.60	25.00	5 B 250 E	E	A-3	1-1/4	1-5/8	6 B 250 E	E	A-3	1-3/8	1-5/8
30.35	29.60	30.00	5 B 300 E	E	A-3	1-1/4	1-5/8	6 B 300 E	E	A-3	1-3/8	1-5/8
38.35	37.60	38.00	5 B 380 E	E	A-3	1-1/4	1-5/8	6 B 380 E	E	A-3	1-3/8	1-5/8
OD	PD		8 GROOVE F=6-1/4					10 GROOVE F=7-3/4				
	A	B	SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
5.75	5.00	5.40	8 B 54 SK	SK	A-1	1-13/16	1-1/4	10 B 54 SK	SK	A-1	2-9/16	1-1/4
5.95	5.20	5.60	8 B 56 SK	SK	A-1	1-13/16	1-1/4	10 B 56 SK	SK	A-1	2-9/16	1-1/4
6.15	5.40	5.80	8 B 58 SK	SK	A-1	1-13/16	1-1/4	10 B 58 SK	SK	A-1	2-9/16	1-1/4
6.35	5.60	6.00	8 B 60 SK	SK	A-1	1-13/16	1-1/4	10 B 60 SK	SK	A-1	2-9/16	1-1/4
6.55	5.80	6.20	8 B 62 SF	SF	A-1	1-13/16	1-1/4	10 B 62 SF	SF	A-1	2-9/16	1-1/4
6.75	6.00	6.40	8 B 64 SF	SF	A-1	1-13/16	1-1/4	10 B 64 SF	SF	A-1	2-9/16	1-1/4
6.95	6.20	6.60	8 B 66 SF	SF	A-1	1-13/16	1-1/4	10 B 66 SF	SF	A-1	2-9/16	1-1/4
7.15	6.40	6.80	8 B 68 SF	SF	A-1	1-13/16	1-1/4	10 B 68 SF	SF	A-1	2-9/16	1-1/4
7.35	6.60	7.00	8 B 70 SF	SF	A-1	1-13/16	1-1/4	10 B 70 SF	SF	A-1	2-9/16	1-1/4
7.75	7.00	7.40	8 B 74 SF	SF	A-1	1-13/16	1-1/4	10 B 74 SF	SF	A-1	2-9/16	1-1/4
8.35	7.60	8.00	8 B 80 SF	SF	A-1	1-13/16	1-1/4	10 B 80 SF	SF	A-1	2-9/16	1-1/4
8.95	8.20	8.60	8 B 86 E	E	A-1	2-3/8	1-5/8	10 B 86 E	E	A-1	3-1/8	1-5/8
9.75	9.00	9.40	8 B 94 E	E	A-1	2-3/8	1-5/8	10 B 94 E	E	A-1	3-1/8	1-5/8
11.35	10.60	11.00	8 B 110 E	E	A-3	2-3/8	1-5/8	10 B 110 E	E	A-2	3-1/8	1-5/8
12.75	12.00	12.40	8 B 124 E	E	A-3	2-3/8	1-5/8	10 B 124 E	E	A-3	3-1/8	1-5/8
13.95	13.20	13.60	8 B 136 E	E	A-3	2-3/8	1-5/8	10 B 136 F	F	A-3	2-1/16	2-1/2
15.75	15.00	15.40	8 B 154 E	E	A-3	2-3/8	1-5/8	10 B 154 F	F	A-3	2-1/16	2-1/2
16.35	15.60	16.00	8 B 160 E	E	A-3	2-3/8	1-5/8	10 B 160 F	F	A-3	2-1/16	2-1/2
18.75	18.00	18.40	8 B 184 F	F	A-3	1-5/16	2-1/2	10 B 184 F	F	A-3	2-1/16	2-1/2
20.35	19.60	20.00	8 B 200 F	F	A-3	1-5/16	2-1/2	10 B 200 F	F	A-3	2-1/16	2-1/2
25.35	24.60	25.00	8 B 250 F	F	A-3	1-5/16	2-1/2	10 B 250 F	F	A-3	2-1/16	2-1/2
30.35	29.60	30.00	8 B 300 F	F	A-3	1-5/16	2-1/2	10 B 300 F	F	A-3	2-1/16	2-1/2
38.35	37.60	38.00	8 B 380 F	F	A-3	1-5/16	2-1/2	10 B 380 J	J	A-3	1-9/16	3-3/16



美式皮带轮

QD SHEAVES C

(in.)

OD	PD	1 GROOVE F=1-3/8					2 GROOVE F=2-3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
6.40	6.00	1 C 60 SK	SK	C-1	1/8	1-1/4	2 C 60 SK	SK	A-1	7-8	1-1/4
7.40	7.00	1 C 70 SF	SF	C-1	1/8	1-1/4	2 C 70 SF	SF	A-1	13/16	1-1/4
7.90	7.50	1 C 75 SF	SF	C-1	1/8	1-1/4	2 C 75 SF	SF	A-1	13/16	1-1/4
8.40	8.00	1 C 80 SF	SF	C-2	1/8	1-1/4	2 C 80 SF	SF	A-2	13/16	1-1/4
8.90	8.50	1 C 85 SF	SF	C-2	1/8	1-1/4	2 C 85 SF	SF	A-2	13/16	1-1/4
9.40	9.00	1 C 90 SF	SF	C-2	1/8	1-1/4	2 C 90 SF	SF	A-2	13/16	1-1/4
9.90	9.50	1 C 95 SF	SF	C-3	1/8	1-1/4	2 C 95 SF	SF	A-3	13/16	1-1/4
10.40	10.00	1 C 100 SF	SF	C-3	1/8	1-1/4	2 C 100 SF	SF	A-3	13/16	1-1/4
10.90	10.50	1 C 105 SF	SF	C-3	1/8	1-1/4	2 C 105 SF	SF	A-3	13/16	1-1/4
11.40	11.00	1 C 110 SF	SF	C-3	1/8	1-1/4	2 C 110 SF	SF	A-3	13/16	1-1/4
12.40	12.00	1 C 120 SF	SF	C-3	1/8	1-1/4	2 C 120 SF	SF	D-3	9-16	1-1/4
13.40	13.00	1 C 130 SF	SF	C-3	1/8	1-1/4	2 C 130 SF	SF	D-3	9-16	1-1/4
14.40	14.00	1 C 140 SF	SF	C-3	1/8	1-1/4	2 C 140 SF	SF	D-3	9-16	1-1/4
15.40	15.00	1 C 150 SF	SF	C-3	1/8	1-1/4	2 C 150 SF	SF	D-3	9-16	1-1/4
16.40	16.00	1 C 160 SF	SF	C-3	1/8	1-1/4	2 C 160 SF	SF	D-3	9-16	1-1/4
18.40	18.00	1 C 180 SF	SF	C-3	1/8	1-1/4	2 C 180 SF	SF	D-3	9-16	1-1/4
20.40	20.00	1 C 200 SF	SF	C-3	1/8	1-1/4	2 C 200 SF	SF	D-3	9-16	1-1/4
24.40	24.00	1 C 240 SF	SF	C-3	1/8	1-1/4	2 C 240 SF	SF	D-3	9-16	1-1/4
27.40	27.00						2 C 270 F	F	F-3	1-8	2-1/2
30.40	30.00						2 C 300 F	F	F-3	1-8	2-1/2
OD	PD	3 GROOVE F=3-3/8					4 GROOVE F=4-3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
5.40	5.00	3 C 50 SD	SD	A-1	1-1/4	1-1/4	4 C 50 SD	SD	A-1	1-1/4	1-1/4
5.80	5.40	3 C 54 SD	SD	A-1	1-5/16	1-1/4	4 C 54 SD	SD	A-1	1-5/16	1-1/4
5.90	5.50	3 C 55 SD	SD	A-1	1-5/16	1-1/4	4 C 55 SD	SD	A-1	1-5/16	1-1/4
6.00	5.60	3 C 56 SD	SD	A-1	1-5/16	1-1/4	4 C 56 SD	SD	A-1	1-5/16	1-1/4
6.40	6.00	3 C 60 SK	SK	A-1	7-8	1-1/4	4 C 60 SK	SK	A-1	7-8	1-1/4
7.40	7.00	3 C 70 SF	SF	A-1	1-5/16	1-1/4	4 C 70 SF	SF	A-1	1-9/16	1-1/4
7.90	7.50	3 C 75 SF	SF	A-1	1-5/16	1-1/4	4 C 75 SF	SF	A-1	1-9/16	1-1/4
8.40	8.00	3 C 80 E	E	B-1	1-3/4	1-5/8	4 C 80 E	E	A-1	2	1-5/8
8.90	8.50	3 C 85 E	E	B-1	1-3/4	1-5/8	4 C 85 E	E	A-1	2	1-5/8
9.40	9.00	3 C 90 E	E	B-1	1-3/4	1-5/8	4 C 90 E	E	A-1	2	1-5/8
9.90	9.50	3 C 95 E	E	B-1	1-3/4	1-5/8	4 C 95 E	E	A-1	2	1-5/8
10.40	10.00	3 C 100 E	E	B-1	1-3/4	1-5/8	4 C 100 E	E	A-1	2	1-5/8
10.90	10.50	3 C 105 E	E	B-2	1-3/4	1-5/8	4 C 105 E	E	A-2	2	1-5/8
11.40	11.00	3 C 110 E	E	B-2	1-3/4	1-5/8	4 C 110 E	E	A-2	2	1-5/8
12.40	12.00	3 C 120 E	E	B-3	1-3/4	1-5/8	4 C 120 E	E	A-3	2	1-5/8
13.40	13.00	3 C 130 E	E	B-3	1-3/4	1-5/8	4 C 130 E	E	A-3	2	1-5/8
14.40	14.00	3 C 140 E	E	B-3	1-3/4	1-5/8	4 C 140 E	E	A-3	2	1-5/8
15.40	15.00	3 C 150 E	E	B-3	1-3/4	1-5/8	4 C 150 E	E	A-3	2	1-5/8
16.40	16.00	3 C 160 E	E	B-3	1-3/4	1-5/8	4 C 160 E	E	A-3	2	1-5/8
18.40	18.00	3 C 180 E	E	B-3	1-3/4	1-5/8	4 C 180 E	E	A-3	2	1-5/8
20.40	20.00	3 C 200 E	E	A-3	1	1-5/8	4 C 200 E	E	A-3	1-1/2	1-5/8
24.40	24.00	3 C 240 E	E	A-3	1	1-5/8	4 C 240 F	F	A-3	1-5/16	2-1/2
27.40	27.00	3 C 270 F	F	C-3	7-8	2-1/2	4 C 270 F	F	A-3	1-5/16	2-1/2
30.40	30.00	3 C 300 F	F	C-3	7-8	2-1/2	4 C 300 F	F	A-3	1-5/16	2-1/2
36.40	36.00	3 C 360 F	F	C-3	7-8	2-1/2	4 C 360 F	F	A-3	1-5/16	2-1/2
44.40	44.00	3 C 440 F	F	C-3	7-8	2-1/2	4 C 440 J	J	B-3	1-3/16	3-3/16
50.40	50.00	3 C 500 F	F	C-3	7-8	2-1/2	4 C 500 J	J	B-3	1-3/16	3-3/16



美式皮带轮

QD SHEAVES C (in.)

OD	PD	5 GROOVE F=5-3/8					6 GROOVE F=6-3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
6.40	6.00	5 C 60 SK	SK	A-1	7/8	1-1/4	6 C 60 SK	SK	A-1	7/8	1-1/4
7.40	7.00	5 C 70 SF	SF	A-1	1-15/16	1-1/4	6 C 70 SF	SF	A-1	1-15/16	1-1/4
7.90	7.50	5 C 75 SF	SF	A-1	1-15/16	1-1/4	6 C 75 SF	SF	A-1	1-15/16	1-1/4
8.40	8.00	5 C 80 E	E	A-1	2-3/8	1-5/8	6 C 80 E	E	A-1	2-3/8	1-5/8
8.90	8.50	5 C 85 E	E	A-1	2-3/8	1-5/8	6 C 85 E	E	A-1	2-3/8	1-5/8
9.40	9.00	5 C 90 E	E	A-1	2-3/8	1-5/8	6 C 90 F	F	A-1	1-7/16	2-1/2
9.90	9.50	5 C 95 E	E	A-1	2-3/8	1-5/8	6 C 95 F	F	A-1	1-7/16	2-1/2
10.40	10.00	5 C 100 E	E	A-1	2-3/8	1-5/8	6 C 100 F	F	A-1	1-7/16	2-1/2
10.90	10.50	5 C 105 E	E	A-2	2-3/8	1-5/8	6 C 105 F	F	A-1	1-7/16	2-1/2
11.40	11.00	5 C 110 E	E	A-2	2-3/8	1-5/8	6 C 110 F	F	A-1	1-7/16	2-1/2
12.40	12.00	5 C 120 E	E	A-3	2-3/8	1-5/8	6 C 120 F	F	A-2	1-7/16	2-1/2
13.40	13.00	5 C 130 E	E	A-3	2-3/8	1-5/8	6 C 130 F	F	A-3	1-7/16	2-1/2
14.40	14.00	5 C 140 E	E	A-3	2-3/8	1-5/8	6 C 140 F	F	A-3	1-7/16	2-1/2
15.40	15.00	5 C 150 E	E	A-3	2-3/8	1-5/8	6 C 150 F	F	A-3	1-7/16	2-1/2
16.40	16.00	5 C 160 E	E	A-3	2-3/8	1-5/8	6 C 160 F	F	A-3	1-7/16	2-1/2
18.40	18.00	5 C 180 E	E	A-3	2-3/8	1-5/8	6 C 180 F	F	A-3	1-7/16	2-1/2
20.40	20.00	5 C 200 F	F	A-3	1-5/16	2-1/2	6 C 200 F	F	A-3	1-15/16	2-1/2
24.40	24.00	5 C 240 F	F	A-3	1-5/16	2-1/2	6 C 240 F	F	A-3	1-15/16	2-1/2
27.40	27.00	5 C 270 F	F	A-3	1-5/16	2-1/2	6 C 270 J	J	A-3	1-9/16	3-3/16
30.40	30.00	5 C 300 F	F	A-3	1-5/16	2-1/2	6 C 300 J	J	A-3	1-9/16	3-3/16
36.40	36.00	5 C 360 J	J	A-3	1-9/16	3-3/16	6 C 360 J	J	A-3	1-9/16	3-3/16
44.40	44.00	5 C 440 J	J	A-3	1-9/16	3-3/16	6 C 440 J	J	A-3	1-9/16	3-3/16
50.40	50.00	5 C 500 J	J	A-3	1-9/16	3-3/16	6 C 500 M	M	B-3	1-3/16	5-3/16
OD	PD	8 GROOVE F=8-3/8					10 GROOVE F=10-3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
7.40	7.00	8C70 SF	SF	A-1	3	1-1/4					
8.40	8.00	8 C 80 E	E	A-1	3-1/4	1-5/8	10 C 80 E	E	A-1	3-1/4	1-5/8
8.90	8.50	8 C 85 E	E	A-1	3-1/4	1-5/8	10 C 85 E	E	A-1	3-1/4	1-5/8
9.40	9.00	8 C 90 F	F	A-1	3-5/16	2-1/2	10 C 90 J	J	A-1	3-9/16	3-3/16
9.90	9.50	8 C 95 F	F	A-1	3-5/16	2-1/2	10 C 95 J	J	A-1	3-9/16	3-3/16
10.40	10.00	8 C 100 F	F	A-1	3-5/16	2-1/2	10 C 100 J	J	A-1	3-9/16	3-3/16
10.90	10.50	8C 105 F	F	A-1	3-5/16	2-1/2	10 C 105 J	J	A-1	3-9/16	3-3/16
11.40	11.00	8C 110 F	F	A-1	3-5/16	2-1/2	10 C 110 J	J	A-1	3-9/16	3-3/16
12.40	12.00	8C 120 F	F	A-2	3-5/16	2-1/2	10 C 120 J	J	A-1	3-9/16	3-3/16
13.40	13.00	8C 130 F	F	A-3	3-5/16	2-1/2	10 C 130 J	J	A-1	3-9/16	3-3/16
14.40	14.00	8C 140 F	F	A-3	3-5/16	2-1/2	10 C 140 J	J	A-2	3-9/16	3-3/16
15.40	15.00	8C 150 F	F	A-3	3-5/16	2-1/2	10 C 150 J	J	A-2	3-9/16	3-3/16
16.40	16.00	8C 160 F	F	A-3	3-5/16	2-1/2	10 C 160 J	J	A-2	3-9/16	3-3/16
18.40	18.00	8C 180 F	F	A-3	3-5/16	2-1/2	10 C 180 J	J	A-3	3-9/16	3-3/16
20.40	20.00	8C 200 J	J	A-3	1-9/16	3-3/16	10 C 200 J	J	A-3	3-9/16	3-3/16
24.40	24.00	8C 240 J	J	A-3	1-9/16	3-3/16	10 C 240 M	M	A-3	1-15/16	5-3/16
27.40	27.00	8C 270 J	J	A-3	1-9/16	3-3/16					
30.40	30.00	8C 300 J	J	A-3	1-9/16	3-3/16	10 C 300 M	M	A-3	1-15/16	5-3/16
36.40	36.00	8C 360 M	M	A-3	1-15/16	5-3/16	10 C 360 M	M	A-3	1-15/16	5-3/16
44.40	44.00	8C 440 M	M	A-3	1-15/16	5-3/16	10 C 440 M	M	A-3	1-15/16	5-3/16
50.40	50.00	8C 500 M	M	A-3	1-15/16	5-3/16	10 C 500 M	M	A-3	1-15/16	5-3/16



美式皮带轮

3V QD SHEAVES

(in.)

外径 OD	节径 PD	1槽 1GROOVE F=11/16					2槽 2 GROOVE F=1 3/32				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
2.20	2.15	1 3V 220JA	JA	E-1	7/16	9/16	2 3V 220JA	JA	E-1	7/16	9/16
2.35	2.30	1 3V 235JA	JA	E-1	7/16	9/16	2 3V 235JA	JA	E-1	7/16	9/16
2.50	2.45	1 3V 250JA	JA	E-1	7/16	9/16	2 3V 250JA	JA	E-1	7/16	9/16
2.65	2.60	1 3V 265JA	JA	C-1	1/8	9/16	2 3V 265JA	JA	D-1	1/8	9/16
2.80	2.75	1 3V 280JA	JA	C-1	1/8	9/16	2 3V 280JA	JA	D-1	1/8	9/16
3.00	2.95	1 3V 300JA	JA	C-1	1/8	9/16	2 3V 300JA	JA	D-1	1/8	9/16
3.15	3.10	1 3V 315JA	JA	C-1	1/8	9/16	2 3V 315JA	JA	D-1	1/8	9/16
3.35	3.30	1 3V 335JA	JA	C-1	1/8	9/16	2 3V 335SH	SH	D-1	9/64	13/16
3.65	3.60	1 3V 365SH	SH	G-1	1/8	13/16	2 3V 365SH	SH	D-1	9/64	13/16
4.12	4.07	1 3V 412SH	SH	G-1	1/8	13/16	2 3V 412SH	SH	D-1	9/32	13/16
4.50	4.45	1 3V 450SH	SH	G-1	1/8	13/16	2 3V 450SH	SH	D-1	9/32	13/16
4.75	4.70	1 3V 475SH	SH	G-1	1/8	13/16	2 3V 475SH	SH	D-1	9/32	13/16
5.00	4.95	1 3V 500SH	SH	G-1	1/8	13/16	2 3V 500SH	SH	D-1	9/32	13/16
5.30	5.25	1 3V 530SH	SH	G-2	1/8	13/16	2 3V 530SH	SH	D-2	9/32	13/16
5.60	5.55	1 3V 560SH	SH	G-2	1/8	13/16	2 3V 560SH	SH	D-2	9/32	13/16
6.00	5.95	1 3V 600SH	SH	G-2	1/8	13/16	2 3V 600SH	SH	D-2	9/32	13/16
6.50	6.45	1 3V 650SH	SH	G-2	1/8	13/16	2 3V 650SDS	SDS	D-2	5/16	3/4
6.90	6.85	1 3V 690SH	SH	G-3	1/8	13/16	2 3V 690SDS	SDS	D-2	5/16	3/4
8.00	7.95	1 3V 800SDS	SDS	G-3	0	3/4	2 3V 800SDS	SDS	D-3	5/16	3/4
10.60	10.55	1 3V 1060SDS	SDS	G-3	0	3/4	2 3V 1060SK	SK	F-3	5/32	1 1/4
14.00	13.95	1 3V 1400SK	SK	G-3	7/16	1 1/4	2 3V 1400SK	SK	F-3	5/32	1 1/4
19.00	18.95	1 3V 1900SK	SK	G-3	7/16	1 1/4	2 3V 1900SK	SK	F-3	5/32	1 1/4
外径 OD	节径 PD	3槽 3GROOVE F=1 1/2					4槽 4GROOVE F=1 29/32				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
2.50	2.45	3 3V 250JA	JA	E-1	7/16	9/16					
2.65	2.60	3 3V 265JA	JA	D-1	1/8	9/16	4 3V 265JA	JA	D-1	0	9/16
2.80	2.75	3 3V 280JA	JA	D-1	1/8	9/16	4 3V 280JA	JA	D-1	0	9/16
3.00	2.95	3 3V 300SH	SH	E-1	0	13/16	4 3V 300SH	SH	E-1	5/16	13/16
3.15	3.10	3 3V 315SH	SH	E-1	0	13/16	4 3V 315SH	SH	E-1	5/16	13/16
3.35	3.30	3 3V 335SH	SH	D-1	1/8	13/16	4 3V 335SH	SH	D-1	1/8	13/16
3.65	3.60	3 3V 365SH	SH	D-1	1/8	13/16	4 3V 365SH	SH	D-1	1/8	13/16
4.12	4.07	3 3V 412SH	SH	A-1	11/16	13/16	4 3V 412SH	SH	A-1	13/16	13/16
4.50	4.45	3 3V 450SDS	SDS	A-1	11/16	3/4	4 3V 450SDS	SDS	A-1	13/16	3/4
4.75	4.70	3 3V 475SDS	SDS	A-1	11/16	3/4	4 3V 475SDS	SDS	A-1	13/16	3/4
5.00	4.95	3 3V 500SDS	SDS	A-1	11/16	3/4	4 3V 500SDS	SDS	A-1	13/16	3/4
5.30	5.25	3 3V 530SDS	SDS	A-1	11/16	3/4	4 3V 530SDS	SDS	A-1	13/16	3/4
5.60	5.55	3 3V 560SDS	SDS	A-1	11/16	3/4	4 3V 560SDS	SDS	A-1	13/16	3/4
6.00	5.95	3 3V 600SDS	SDS	A-2	11/16	3/4	4 3V 600SK	SK	D-1	5/8	1 1/4
6.50	6.45	3 3V 650SDS	SDS	A-2	11/16	3/4	4 3V 650SK	SK	D-2	5/8	1 1/4
6.90	6.85	3 3V 690SDS	SDS	A-2	11/16	3/4	4 3V 690SK	SK	D-2	5/8	1 1/4
8.00	7.95	3 3V 800SK	SK	C-3	1/4	1 1/4	4 3V 800SK	SK	D-3	5/8	1 1/4
10.60	10.55	3 3V 1060SK	SK	C-3	1/4	1 1/4	4 3V 1060SK	SK	D-3	5/8	1 1/4
14.00	13.95	3 3V 1400SK	SK	C-3	1/4	1 1/4	4 3V 1400SK	SK	D-3	5/8	1 1/4
19.00	18.95	3 3V 1900SF	SF	C-3	1/4	1 1/4	4 3V 1900SF	SF	C-3	21/32	1 1/4
25.00	24.95	3 3V 2500SF	SF	C-3	1/4	1 1/4	4 3V 2500SF	SF	C-3	21/32	1 1/4
33.50	33.45	3 3V 3350SF	SF	C-3	1/4	1 1/4	4 4V 3350E	E	C-3	9/32	1 5/8



美式皮带轮

3V QD SHEAVES

(in.)

外径 OD	节径 PD	5槽 5GROOVE F=2 5/16					6槽 6GROOVE F=2 23/32				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
4.75	4.70	5 3V 475SDS	SDS	A-1	13/16	3/4	6 3V 475SK	SK	D-1	0	1 1/4
5.00	4.95	5 3V 500SDS	SDS	A-1	13/16	3/4	6 3V 500SK	SK	D-1	0	1 1/4
5.30	5.25	5 3V 530SK	SK	A-1	15/16	1 1/4	6 3V 530SK	SK	A-1	1 5/16	1 1/4
5.60	5.55	5 3V 560SK	SK	A-1	15/16	1 1/4	6 3V 560SK	SK	A-1	1 5/16	1 1/4
6.00	5.95	5 3V 600SK	SK	A-1	15/16	1 1/4	6 3V 600SK	SK	A-1	1 5/16	1 1/4
6.50	6.45	5 3V 650SK	SK	A-1	15/16	1 1/4	6 3V 650SK	SK	A-1	1 5/16	1 1/4
6.90	6.85	5 3V 690SK	SK	A-2	15/16	1 1/4	6 3V 690SK	SK	A-2	1 5/16	1 1/4
8.00	7.95	5 3V 800SK	SK	A-2	15/16	1 1/4	6 3V 800SK	SK	A-2	1 5/16	1 1/4
10.60	10.55	5 3V 1060SK	SK	A-3	15/16	1 1/4	6 3V 1060SF	SF	A-2	7/8	1 1/4
14.00	13.95	5 3V 1400SF	SF	A-3	7/8	1 1/4	6 3V 1400SF	SF	A-3	7/8	1 1/4
19.00	18.95	5 3V 1900SF	SF	A-3	7/8	1 1/4	6 3V 1900E	E	B-3	1 3/32	1 5/8
25.00	24.95	5 3V 2500E	E	C-3	11/16	1 5/8	6 3V 2500E	E	B-3	1 3/32	1 5/8
33.50	33.45	5 3V 3350E	E	C-3	11/16	1 5/8	6 3V 3350E	E	B-3	1 3/32	1 5/8
外径 OD	节径 PD	8槽 8GROOVE F=3 17/32					10槽 10GROOVE F=4 11/32				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
4.75	4.70	8 3V 475SK	SK	D-1	0	1 1/4	10 3V 475SK	SK	D-1	0	1 1/4
5.00	4.95	8 3V 500SK	SK	D-1	0	1 1/4	10 3V 500SK	SK	D-1	0	1 1/4
5.30	5.25	8 3V 530SK	SK	A-1	1 5/16	1 1/4	10 3V 530SK	SK	A-1	1 7/16	1 1/4
5.60	5.55	8 3V 560SK	SK	A-1	1 5/16	1 1/4	10 3V 560SK	SK	A-1	1 7/16	1 1/4
6.00	5.95	8 3V 600SK	SK	A-1	1 5/16	1 1/4	10 3V 600SK	SK	A-1	1 7/16	1 1/4
6.50	6.45	8 3V 650SK	SK	A-1	1 5/16	1 1/4	10 3V 650SK	SK	A-1	1 7/16	1 1/4
6.90	6.85	8 3V 690SK	SK	A-2	1 5/16	1 1/4	10 3V 690SK	SK	A-2	1 7/16	1 1/4
8.00	7.95	8 3V 800SF	SF	A-2	1 1/8	1 1/4	10 3V 800SF	SF	A-2	1 1/2	1 1/4
10.60	10.55	8 3V 1060SF	SF	A-3	1 1/4	1 1/4	10 3V 1060E	E	A-3	1 1/4	1 5/8
14.00	13.95	8 3V 1400E	E	A-3	1 1/4	1 5/8	10 3V 1400E	E	A-3	1 1/4	1 5/8
19.00	18.95	8 3V 1900E	E	A-3	1 1/4	1 5/8	10 3V 1900E	E	A-3	1 1/4	1 5/8
25.00	24.95	8 3V 2500E	E	A-3	1 1/4	1 5/8	10 3V 2500F	F	A-3	1 5/16	2 1/2
33.50	33.45	8 3V 3350F	F	B-3	1 1/32	2 1/2	10 3V 3350F	F	A-3	1 5/16	2 1/2





美式皮带轮

5V QD SHEAVES

(in.)

外径 OD	节径 PD	2槽 2GROOVE F=1 11/16					3槽 3GROOVE F=2 3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
4.40	4.30	2 5V 440SH	SH	A-1	7/8	13/16	3 5V 440SDS	SDS	E-1	0	3/4
4.65	4.55	2 5V 465SDS	SDS	E-1	0	3/4	3 5V 465SDS	SDS	E-1	0	3/4
4.90	4.80	2 5V 490SDS	SDS	A-1	11/16	3/4	3 5V 490SDS	SDS	A-1	1 1/16	3/4
5.20	5.10	2 5V 520SDS	SDS	A-1	11/16	3/4	3 5V 520SDS	SDS	A-1	1 1/16	3/4
5.50	5.40	2 5V 550SDS	SDS	A-1	11/16	3/4	3 5V 550SDS	SDS	A-1	1 1/16	3/4
5.90	5.80	2 5V 590SDS	SDS	A-1	11/16	3/4	3 5V 590SDS	SDS	A-1	1 1/16	3/4
6.30	6.20	2 5V 630SK	SK	C-1	7/16	1 1/4	3 5V 630SK	SK	A-1	1 1/16	1 1/4
6.70	6.60	2 5V 670SK	SK	C-1	7/16	1 1/4	3 5V 670SK	SK	A-1	1 1/16	1 1/4
7.10	7.00	2 5V 710SK	SK	C-1	7/16	1 1/4	3 5V 710SF	SF	A-1	1 1/8	1 1/4
7.50	7.40	2 5V 750SK	SK	C-1	7/16	1 1/4	3 5V 750SF	SF	A-1	1 1/8	1 1/4
8.00	7.90	2 5V 800SK	SK	C-2	7/16	1 1/4	3 5V 800SF	SF	A-1	1 1/8	1 1/4
8.50	8.40	2 5V 850SK	SK	C-2	7/16	1 1/4	3 5V 850SF	SF	A-2	1 1/8	1 1/4
9.00	8.90	2 5V 900SK	SK	C-2	7/16	1 1/4	3 5V 900SF	SF	A-2	1 1/8	1 1/4
9.25	9.15	2 5V 925SK	SK	C-2	7/16	1 1/4	3 5V 925SF	SF	A-2	1 1/8	1 1/4
9.75	9.65	2 5V 975SK	SK	C-3	7/16	1 1/4	3 5V 975SF	SF	A-2	1 1/8	1 1/4
10.30	10.20	2 5V 1030SK	SK	C-3	7/16	1 1/4	3 5V 1030SF	SF	A-2	1 1/8	1 1/4
10.90	10.80	2 5V 1090SK	SK	C-3	7/16	1 1/4	3 5V 1090SF	SF	A-2	1 1/8	1 1/4
11.30	11.20	2 5V 1130SK	SK	C-3	7/16	1 1/4	3 5V 1130SF	SF	A-3	1 1/8	1 1/4
11.80	11.70	2 5V 1180SK	SK	C-3	7/16	1 1/4	3 5V 1180SF	SF	A-3	1 1/8	1 1/4
12.50	12.40	2 5V 1250SF	SF	C-3	7/16	1 1/4	3 5V 1250E	E	C-3	3/4	1 5/8
13.20	13.10	2 5V 1320SF	SF	C-3	7/16	1 1/4	3 5V 1320E	E	C-3	3/4	1 5/8
14.00	13.90	2 5V 1400SF	SF	C-3	7/16	1 1/4	3 5V 1400E	E	C-3	3/4	1 5/8
15.00	14.90	2 5V 1500SF	SF	C-3	7/16	1 1/4	3 5V 1500E	E	C-3	3/4	1 5/8
16.00	15.90	2 5V 1600SF	SF	C-3	7/16	1 1/4	3 5V 1600E	E	C-3	3/4	1 5/8
18.70	18.60	2 5V 1870SF	SF	C-3	7/16	1 1/4	3 5V 1870E	E	C-3	3/4	1 5/8
21.20	21.10	2 5V 2120SF	SF	C-3	7/16	1 1/4	3 5V 2120E	E	C-3	3/4	1 5/8
23.60	23.50	2 5V 2360E	E	C-3	1/16	1 5/8	3 5V 2360E	E	C-3	3/4	1 5/8
28.00	27.90	2 5V 2800E	E	C-3	1/16	1 5/8	3 5V 2800E	E	C-3	3/4	1 5/8
31.50	31.40						3 5V 3150F	F	F-3	1/8	2 1/2
37.50	37.40						3 5V 3750F	F	F-3	1/8	2 1/2
50.00	49.90						3 5V 5000F	F	F-3	1/8	2 1/2



美式皮带轮

5V QD SHEAVES

(in.)

外径 OD	节径 PD	4槽 4GROOVE F=3 1/16					5槽 5GROOVE F=3 3/4				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
4.40	4.30	4 5V 440SD	SD	E-1	0	1 1/4	5 5V 440SD	SD	E-1	0	1 1/4
4.65	4.55	4 5V 465SD	SD	E-1	0	1 1/4	5 5V 465SD	SD	E-1	0	1 1/4
4.90	4.80	4 5V 490SD	SD	A-1	1 5/16	1 1/4	5 5V 490SD	SD	A-1	1 5/16	1 1/4
5.20	5.10	4 5V 520SD	SD	A-1	1 5/16	1 1/4	5 5V 520SD	SD	A-1	1 5/16	1 1/4
5.50	5.40	4 5V 550SD	SD	A-1	1 5/16	1 1/4	5 5V 550SD	SD	A-1	1 5/16	1 1/4
5.90	5.80	4 5V 590SD	SD	A-1	1 5/16	1 1/4	5 5V 590SK	SK	A-1	1 5/16	1 1/4
6.30	6.20	4 5V 630SK	SK	A-1	1 5/16	1 1/4	5 5V 630SK	SK	A-1	1 5/16	1 1/4
6.70	6.60	4 5V 670SK	SK	A-1	1 5/16	1 1/4	5 5V 670SF	SF	A-1	1 3/8	1 1/4
7.10	7.00	4 5V 710SF	SF	A-1	1 1/16	1 1/4	5 5V 710SF	SF	A-1	1 3/8	1 1/4
7.50	7.40	4 5V 750SF	SF	A-1	1 1/16	1 1/4	5 5V 750SF	SF	A-1	1 3/8	1 1/4
8.00	7.90	4 5V 800E	E	B-1	1 7/16	1 5/8	5 5V 800E	E	A-1	1 3/4	1 5/8
8.50	8.40	4 5V 850E	E	B-1	1 7/16	1 5/8	5 5V 850E	E	A-1	1 3/4	1 5/8
9.00	8.90	4 5V 900E	E	B-1	1 7/16	1 5/8	5 5V 900E	E	A-1	1 3/4	1 5/8
9.25	9.15	4 5V 925E	E	B-1	1 7/16	1 5/8	5 5V 925E	E	A-1	1 3/4	1 5/8
9.75	9.65	4 5V 975E	E	B-2	1 7/16	1 5/8	5 5V 975E	E	A-2	1 3/4	1 5/8
10.30	10.20	4 5V 1030E	E	B-2	1 7/16	1 5/8	5 5V 1030E	E	A-2	1 3/4	1 5/8
10.90	10.80	4 5V 1090E	E	B-2	1 7/16	1 5/8	5 5V 1090E	E	A-2	1 3/4	1 5/8
11.30	11.20	4 5V 1130E	E	B-2	1 7/16	1 5/8	5 5V 1130E	E	A-2	1 3/4	1 5/8
11.80	11.70	4 5V 1180E	E	B-2	1 7/16	1 5/8	5 5V 1180E	E	A-2	1 3/4	1 5/8
12.50	12.40	4 5V 1250E	E	B-3	1 7/16	1 5/8	5 5V 1250E	E	A-3	1 3/4	1 5/8
13.20	13.10	4 5V 1320E	E	B-3	1 7/16	1 5/8	5 5V 1320E	E	A-3	1 3/4	1 5/8
14.00	13.90	4 5V 1400E	E	B-3	1 7/16	1 5/8	5 5V 1400E	E	A-3	1 3/4	1 5/8
15.00	14.90	4 5V 1500E	E	B-3	1 7/16	1 5/8	5 5V 1500E	E	A-3	1 3/4	1 5/8
16.00	15.90	4 5V 1600E	E	B-3	1 7/16	1 5/8	5 5V 1600E	E	A-3	1 3/4	1 5/8
18.70	18.60	4 5V 1870E	E	A-3	1 1/4	1 5/8	5 5V 1870F	F	B-3	1 1/4	2 1/2
21.20	21.10	4 5V 2120E	E	A-3	1 1/4	1 5/8	5 5V 2120F	F	B-3	1 1/4	2 1/2
23.60	23.50	4 5V 2360F	F	C-3	7/8	2 1/2	5 5V 2360F	F	B-3	1 1/4	2 1/2
28.00	27.90	4 5V 2800F	F	C-3	7/8	2 1/2	5 5V 2800F	F	B-3	1 1/4	2 1/2
31.50	31.40	4 5V 3150F	F	C-3	7/8	2 1/2	5 5V 3150J	J	C-3	9/16	3 3/16
37.50	37.40	4 5V 3750F	F	C-3	7/8	2 1/2	5 5V 3750J	J	C-3	9/16	3 3/16
50.00	49.90	4 5V 5000J	J	F-3	1/8	3 3/16	5 5V 5000J	J	C-3	9/16	3 3/16



美式皮带轮

5V QD SHEAVES

(in.)

外径 OD	节径 PD	6槽 6GROOVE F=4 7/16					8槽 8GOOVE F=5 13/16				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
4.40	4.30	6 5V 440SD	SD	E-1	0	1 1/4					
4.65	4.55	6 5V 465SD	SD	E-1	0	1 1/4					
4.90	4.80	6 5V 490SD	SD	A-1	1 5/16	1 1/4					
5.20	5.10	6 5V 520SD	SD	A-1	1 5/16	1 1/4					
5.50	5.40	6 5V 550SD	SD	A-1	1 5/16	1 1/4					
5.90	5.80	6 5V 590SK	SK	A-1	1 5/16	1 1/4					
6.30	6.20	6 5V 630SK	SK	A-1	1 5/16	1 1/4					
6.70	6.60	6 5V 670SF	SF	A-1	1 5/8	1 1/4					
7.10	7.00	6 5V 710SF	SF	A-1	1 5/8	1 1/4	8 5V 710SF	SF	A-1	2 1/8	1 1/4
7.50	7.40	6 5V 750SF	SF	A-1	1 5/8	1 1/4	8 5V 750SF	SF	A-1	2 1/8	1 1/4
8.00	7.90	6 5V 800E	E	A-1	2	1 5/8	8 5V 800E	E	A-1	2 1/2	1 5/8
8.50	8.40	6 5V 850E	E	A-1	2	1 5/8	8 5V 850E	E	A-1	2 1/2	1 5/8
9.00	8.90	6 5V 900E	E	A-1	2	1 5/8	8 5V 900E	E	A-1	2 1/2	1 5/8
9.25	9.15	6 5V 925E	E	A-1	2	1 5/8	8 5V 925F	F	A-1	2 9/16	2 1/2
9.75	9.65	6 5V 975E	E	A-2	2	1 5/8	8 5V 975F	F	A-1	2 9/16	2 1/2
10.30	10.20	6 5V 1030E	E	A-2	2	1 5/8	8 5V 1030F	F	A-1	2 9/16	2 1/2
10.90	10.80	6 5V 1090E	E	A-2	2	1 5/8	8 5V 1090F	F	A-2	2 9/16	2 1/2
11.30	11.20	6 5V 1130E	E	A-2	2	1 5/8	8 5V 1130F	F	A-2	2 9/16	2 1/2
11.80	11.70	6 5V 1180E	E	A-2	2	1 5/8	8 5V 1180F	F	A-2	2 9/16	2 1/2
12.50	12.40	6 5V 1250F	F	B-3	1 5/16	2 1/2	8 5V 1250F	F	A-2	2 9/16	2 1/2
13.20	13.10	6 5V 1320F	F	B-3	1 5/16	2 1/2	8 5V 1320F	F	A-3	2 9/16	2 1/2
14.00	13.90	6 5V 1400F	F	B-3	1 5/16	2 1/2	8 5V 1400F	F	A-3	2 9/16	2 1/2
15.00	14.90	6 5V 1500F	F	B-3	1 5/16	2 1/2	8 5V 1500F	F	A-3	2 9/16	2 1/2
16.00	15.90	6 5V 1600F	F	B-3	1 5/16	2 1/2	8 5V 1600F	F	A-3	2 9/16	2 1/2
18.70	18.60	6 5V 1870F	F	A-3	1 5/16	2 1/2	8 5V 1870J	J	A-3	1 9/16	3 3/16
21.20	21.10	6 5V 2120F	F	A-3	1 5/16	2 1/2	8 5V 2120J	J	A-3	1 9/16	3 3/16
23.60	23.50	6 5V 2360J	J	B-3	1 1/4	3 3/16	8 5V 2360J	J	A-3	1 9/16	3 3/16
28.00	27.90	6 5V 2800J	J	B-3	1 1/4	3 3/16	8 5V 2800J	J	A-3	1 9/16	3 3/16
31.50	31.40	6 5V 3150J	J	B-3	1 1/4	3 3/16	8 5V 3150M	M	B-3	5/8	5 3/16
37.50	37.40	6 5V 3750J	J	B-3	1 1/4	3 3/16	8 5V 3750M	M	B-3	5/8	5 3/16
50.00	49.90	6 5V 5000M	M	B-3	3/4	5 3/16	8 5V 5000M	M	B-3	5/8	5 3/16



美式皮带轮

5V QD SHEAVES

(in.)

外径 OD	节径 PD	10槽10GROOVE F=7 3/16				
		SIZE	BUSH	TYPE	K	L
8.00	7.90	10 5V 800E	E	A-1	3 1/4	1 5/8
8.50	8.40	10 5V 850E	E	A-1	3 1/4	1 5/8
9.00	8.90	10 5V 900F	F	A-1	3 5/16	2 1/2
9.25	9.15	10 5V 925F	F	A-1	3 5/16	2 1/2
9.75	9.65	10 5V 975F	F	A-1	3 5/16	2 1/2
10.30	10.20	10 5V 1030F	F	A-1	3 5/16	2 1/2
10.90	10.80	10 5V 1090F	F	A-1	3 5/16	2 1/2
11.30	11.20	10 5V 1130F	F	A-2	3 5/16	2 1/2
11.80	11.70	10 5V 1180F	F	A-2	3 5/16	2 1/2
12.50	12.40	10 5V 1250J	J	A-2	3 9/16	3 3/16
13.20	13.10	10 5V 1320J	J	A-2	3 9/16	3 3/16
14.00	13.90	10 5V 1400J	J	A-2	3 9/16	3 3/16
15.00	14.90	10 5V 1500J	J	A-2	3 9/16	3 3/16
16.00	15.90	10 5V 1600J	J	A-2	3 9/16	3 3/16
18.70	18.60	10 5V 1870J	J	A-3	1 9/16	3 3/16
21.20	21.10	10 5V 2120J	J	A-3	1 9/16	3 3/16
23.60	23.50	10 5V 2360M	M	B-3	2	5 3/16
28.00	27.90	10 5V 2800M	M	B-3	2	5 3/16
31.50	31.40	10 5V 3150M	M	B-3	2	5 3/16
37.50	37.40	10 5V 3750M	M	B-3	2	5 3/16
50.00	49.90	10 5V 5000M	M	B-3	2	5 3/16





美式皮带轮

8V QD SHEAVES

(in.)

外径 OD	节径 PD	4槽 4GROOVE F=4 7/8					5槽 5GROOVE F=6				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
12.50	12.30	4 8V 1250F	F	A-2	1 13/16	2 1/2	5 8V 1250F	F	A-2	2 5/16	2 1/2
13.20	13.00	4 8V 1320F	F	A-2	1 13/16	2 1/2	5 8V 1320F	F	A-2	2 5/16	2 1/2
14.00	13.80	4 8V 1400F	F	A-2	1 13/16	2 1/2	5 8V 1400F	F	A-2	2 5/16	2 1/2
15.00	14.80	4 8V 1500F	F	A-3	1 13/16	2 1/2	5 8V 1500F	F	A-3	2 5/16	2 1/2
16.00	15.80	4 8V 1600F	F	A-3	1 13/16	2 1/2	5 8V 1600F	F	A-3	2 5/16	2 1/2
17.00	16.80	4 8V 1700F	F	A-3	1 13/16	2 1/2	5 8V 1700J	J	A-3	2	3 3/16
18.00	17.80	4 8V 1800F	F	A-3	1 13/16	2 1/2	5 8V 1800J	J	A-3	2	3 3/16
19.00	18.80	4 8V 1900F	F	A-3	1 13/16	2 1/2	5 8V 1900J	J	A-3	2	3 3/16
20.00	19.80	4 8V 2000J	J	A-3	1 17/16	3 3/16	5 8V 2000J	J	A-3	2	3 3/16
21.20	21.00	4 8V 2120J	J	A-3	1 17/16	3 3/16	5 8V 2120J	J	A-3	2	3 3/16
22.40	22.20	4 8V 2240J	J	A-3	1 17/16	3 3/16	5 8V 2240M	M	B-3	13/16	5 3/16
24.80	24.60	4 8V 2480M	M	F-3	5/16	5 3/16	5 8V 2480M	M	B-3	13/16	5 3/16
30.00	29.80	4 8V 3000M	M	F-3	5/16	5 3/16	5 8V 3000M	M	B-3	13/16	5 3/16
35.50	35.30	4 8V 3550M	M	F-3	5/16	5 3/16	5 8V 3550M	M	B-3	13/16	5 3/16
40.00	39.80	4 8V 4000M	M	F-3	5/16	5 3/16	5 8V 4000M	M	B-3	13/16	5 3/16
44.50	44.30	4 8V 4450M	M	H-3	13/16	5 3/16	5 8V 4450N	N	H-3	15/16	6 1/4
53.00	52.80	4 8V 5300M	M	H-3	13/16	5 3/16	5 8V 5300N	N	F-3	1/4	6 1/4
外径 OD	节径 PD	6槽 6GROOVE F=7 1/8					8槽 8GROOVE F=9 3/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
12.50	12.30	6 8V 1250F	F	A-2	2 5/16	2 1/2	8 8V 1250J	J	A-1	3 9/16	3 3/16
13.20	13.00	6 8V 1320F	F	A-2	2 5/16	2 1/2	8 8V 1320J	J	A-1	3 9/16	3 3/16
14.00	13.80	6 8V 1400F	F	A-2	2 5/16	2 1/2	8 8V 1400J	J	A-2	3 9/16	3 3/16
15.00	14.80	6 8V 1500J	J	A-2	2 9/16	3 3/16	8 8V 1500J	J	A-2	3 9/16	3 3/16
16.00	15.80	6 8V 1600J	J	A-3	2 9/16	3 3/16	8 8V 1600J	J	A-2	3 9/16	3 3/16
17.00	16.80	6 8V 1700J	J	A-3	2 9/16	3 3/16	8 8V 1700M	M	A-2	3 15/16	5 3/16
18.00	17.80	6 8V 1800J	J	A-3	2 9/16	3 3/16	8 8V 1800M	M	A-2	3 15/16	5 3/16
19.00	18.80	6 8V 1900J	J	A-3	2 9/16	3 3/16	8 8V 1900M	M	A-2	3 15/16	5 3/16
20.00	19.80	6 8V 2000M	M	B-2	1 15/16	5 3/16	8 8V 2000M	M	A-3	3 15/16	5 3/16
21.20	21.00	6 8V 2120M	M	B-2	1 15/16	5 3/16	8 8V 2120M	M	A-3	3 15/16	5 3/16
22.40	22.20	6 8V 2240M	M	B-3	1 15/16	5 3/16	8 8V 2240M	M	A-3	3 15/16	5 3/16
24.80	24.60	6 8V 2480M	M	B-3	1 15/16	5 3/16	8 8V 2480N	N	A-3	2 1/4	6 1/4
30.00	29.80	6 8V 3000M	M	B-3	1 15/16	5 3/16	8 8V 3000N	N	A-3	2 1/4	6 1/4
35.50	35.30	6 8V 3550N	N	C-3	7/8	6 1/4	8 8V 3550N	N	A-3	2 1/4	6 1/4
40.00	39.80	6 8V 4000N	N	C-3	7/8	6 1/4	8 8V 4000N	N	A-3	2 1/4	6 1/4
44.50	44.30	6 8V 4450N	N	C-3	7/8	6 1/4	8 8V 4450P	P	H-3	2 5/8	6 1/4
53.00	52.80	6 8V 5300N	N	C-3	7/8	6 1/4	8 8V 5300P	P	H-3	2 5/8	7 1/4
63.00	62.80	6 8V 6300P	P	H-3	2	7 1/4	8 8V 6300P	P	H-3	2 5/8	7 1/4
71.00	70.80	6 8V 7100P	P	H-3	2	7 1/4	8 8V 7100W	W	H-3	1 3/8	9



美式皮带轮


8V QD SHEAVES

(in.)


外径 OD	节径 PD	10槽 10GROOVE F=11 5/8					12槽 12GROOVE F=13 7/8				
		SIZE	BUSH	TYPE	K	L	SIZE	BUSH	TYPE	K	L
12.50	12.30	10 8V 1250J	J	A-1	3 9/16	3 3/16	12 8V 1250M	M	A-1	3 15/16	5 3/16
13.20	13.00	10 8V 1320J	J	A-1	3 9/16	3 3/16	12 8V 1320M	M	A-1	3 15/16	5 3/16
14.00	13.80	10 8V 1400J	J	A-1	3 9/16	3 3/16	12 8V 1400M	M	A-1	3 15/16	5 3/16
15.00	14.80	10 8V 1500M	M	A-1	3 15/16	5 3/16	12 8V 1500M	M	A-1	3 15/16	5 3/16
16.00	15.80	10 8V 1600M	M	A-1	3 15/16	5 3/16	12 8V 1600M	M	A-1	3 15/16	5 3/16
17.00	16.80	10 8V 1700M	M	A-2	3 15/16	5 3/16	12 8V 1700M	M	A-1	3 15/16	5 3/16
18.00	17.80	10 8V 1800M	M	A-2	3 15/16	5 3/16	12 8V 1800M	M	A-2	3 15/16	5 3/16
19.00	18.80	10 8V 1900M	M	A-2	3 15/16	5 3/16	12 8V 1900N	N	A-2	2 1/4	6 1/4
20.00	19.80	10 8V 2000M	M	A-3	3 15/16	5 3/16	12 8V 2000N	N	A-2	2 1/4	6 1/4
21.20	21.00	10 8V 2120M	M	A-3	3 15/16	5 3/16	12 8V 2120N	N	A-3	2 1/4	6 1/4
22.40	22.20	10 8V 2240N	N	A-3	2 1/4	6 1/4	12 8V 2240N	N	A-3	2 1/4	6 1/4
24.80	24.60	10 8V 2480N	N	A-3	2 1/4	6 1/4	12 8V 2480N	N	A-3	2 1/4	6 1/4
30.00	29.80	10 8V 3000N	N	A-3	2 1/4	6 1/4	12 8V 3000P	P	A-3	2 5/8	7 1/4
35.50	35.30	10 8V 3550P	P	A-3	2 5/8	7 1/4	12 8V 3550P	P	A-3	2 5/8	7 1/4
40.00	39.80	10 8V 4000P	P	A-3	2 5/8	7 1/4	12 8V 4000P	P	A-3	2 5/8	7 1/4
44.50	44.30	10 8V 4450P	P	A-3	2 5/8	7 1/4	12 8V 4450P	P	A-3	2 5/8	7 1/4
53.00	52.80	10 8V 5300P	P	A-3	2 5/8	7 1/4	12 8V 5300W	W	A-3	2 7/8	9
63.00	62.80	10 8V 6300W	W	B-3	2 5/8	9	12 8V 6300W	W	A-3	2 7/8	9
71.00	70.80	10 8V 7100W	W	B-3	2 5/8	9	12 8V 7100W	W	A-3	2 7/8	9



QD BUSHING 锥套



QD SHEAVES



(in)

锥套 BUSHING	尺寸 (英寸) DIMENSION(INCHES)							
	A	B	D	F	G	L	ϕd BOLT REQUIRED	CAP SCREWS REQUIRED(UNC)
H	1/4	1.625	2.500	0.875	0.157	1 1/4	2	2-1/4X3/4
JA	3/8	1.375	2.000	0.563	0.157	1	1.65625	3-10X1
SH	7/16	1.871	2.688	0.811	0.157	1 5/16	2 1/4	3-1/4X1-3/8
SDS	1/2	2.187	3.188	0.750	0.157	1 3/8	2 11/16	3-1/4X1-3/8
SD	1/2	2.187	3.188	1.250	0.157	1 13/16	2 11/16	3-1/4X1-7/8
SK	9/16	2.812	3.875	1.250	0.157	1 15/16	3 5/16	3-5/16X2
SF	9/16	3.125	4.625	1.250	0.197	2 1/16	3 7/8	3-3/8X2
E	3/4	3.834	6.000	1.625	0.256	2 3/4	5	3-1/2X2 3/4
F	13/16	4.437	6.625	2.500	0.295	3 3/4	5 5/8	3-9/16X3 5/8
J	1	5.148	7.250	3.188	0.295	4 5/8	6 1/4	3-5/8X4 1/2
M	1 1/4	6.500	9.000	5.188	0.295	6 3/4	7 7/8	4-3/4X6 3/4
N	1 1/2	7.000	10.000	6.250	0.563	8 1/8	8 1/2	4-7/8X8 1/2
P	1 3/4	8.250	11.750	7.250	0.626	9 3/8	10	4-1X9 1/2
W	2	10.437	15.000	9.000	0.626	11 3/8	12 3/4	4 1-1/8X11 1/2



QD BUSHING 锥套

英制

锥套	孔径	锥套键槽
H	1 5/16~1 3/8	5/16×1/16
	1 7/16~1 1/2	3/8×1/32
JA	3/8~7/16	NO KW.
	1/2~1	STD.
	1 1/16~1 3/16	1/4×1/16
	1 1/4	NO K.W.
SH	1/2~1 3/16	STD.
	1 5/16~1 3/8	5/16×3/16
	1 7/16~1 5/8	3/8×1/16
	1 11/16	NO K.W.
SDS	1/2~1 11/16	STD.
	1 3/4	3/8×1/8
	1 13/16	1/2×1/8
	1 7/8~15/16	1/2×1/16
	2	NO K.W.
SD	1/2~1 11/16	STD.
	1 3/4	3/8×1/8
	1 13/16	1/2×1/8
	1 7/8~15/16	1/2×1/16
	2	NO K.W.
SK	1/2~2 1/8	STD.
	2 3/16~2 1/4	1/2×1/8
	2 5/16~2 1/2	5/8×1/16
	2 9/16~2 5/8	NO K.W.
SF	1/2~2 1/4	STD.
	2 5/16~2 1/2	5/8×3/16
	2 9/16~2 3/4	5/8×1/16
	2 13/16~2 7/8	3/4×1/16
E	2 15/16	3/4×1/32
	7/8~2 7/8	STD.
	2 15/16~3 1/4	3/4×1/8
	3 3/8~3 1/2	7/8×1/16
F	1~35/16	STD.
	3 3/8~3 3/4	7/8×3/16
	3 7/8~3 15/16	1×1/8
	4	NO K.W.
J	1 1/4~3 3/4	STD.
	3 13/16~4 1/2	1×1/8
M	2~4 3/4	STD.
	4 13/16~5 1/2	1 1/4×1/4

QD BUSHINGS

公制

锥套	孔径	锥套键槽
SH	24,25,28,30	8×7
	32,35	10×8
SDS	24,25,28,30	8×7
	32,35,38	10×8
	40,42	12×8
SD	24,25,28,30	8×7
	32,35,38	10×8
	40,42	12×8
SK	24,25,28,30	8×7
	32,35,38	10×8
	40,42	12×8
	48,50	14×9
SF	55	16×10
	28,30	8×7
	32,35,38	10×8
	40,42	12×8
	48,50	14×9
E	55	16×10
	60	18×11
	35,38	10×8
	40,42	12×8
	48,50	14×9
	55	16×10
F	60,65	18×11
	70,75	20×12
	80,85	22×14
	90	25×14
	48,50	14×9
J	55	16×10
	60,65	18×11
	70,75	20×12
	80,85	22×14
	90,95	25×14
	100	28×16